R	E	C	E	۱	/	F	ח
		~SI	باططا	11)	۲F	<u> </u>	ட

						<b>,</b>		HEU		ED
	FOR	M PTO-1449	U.S. DEPARTMENT PATENT AND TRA			APPLIC 10/021	ATION NO. 1,121	MAY	0 1 20	2
	1		N DISCLOSURE STATEM	NENT			IE	CH CENT	ER 160	0/2900
	OIF	<u> </u>			APPLICANT Caras et al.		R	ECF	VE	
/		50	AL SHEETS IF NECESSA	ARY)	FILING DATE December 6, 2001	GROUP Unkno	m 1647A	IPR 0 4	2002	
PATER	APR 0 3 2	002	· · · · · · · · · · · · · · · · · · ·					ENTER 1		•
13	PADEMAS	W OLEY.		···	U.S. PATENT DOCUMENTS			ZIVI EII I	000/29(	10 ]
	EXAMINER INITIAL		CUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING (IF APPRO		
										]
•				F	OREIGN PATENT DOCUMENTS					
	EXAMINER	DC	CUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANS!.	ATION	
.3	INITIAL							YES	NO	

WO 95/27060

WO 95/28484

WO 97/15667

WO 97/40153

12.10.95

10.26,95

01.05.97

30.10.97

PCT

PCT

PCT

PCT

EXAMINER INITIAL		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
EW	Andres et al., "Expression of two novel eph-related receptor protein tyrosine kinases in mamry gland devel carcinogenensis" Oncogene 9:1461-1467 (1994)	
	5.	Bartley et al."B61 is a ligand for the ECK receptor protein-tyrosine kinase" Nature 368:558-560 (1994)
	6.	Beckman et al., "Molecular characterization of a family of ligands for eph-related tyrosine kinase receptors" <u>EMBO J.</u> 13:3757-3762 (1994)
	7.	Bennett et al., "Molecular cloning of a ligand for the EPH-related receptor protein-tyrosine kinase Htk" Proc. Natl. Acad. Sci. USA 92:1866-1870 (March 1995)
	9	Bennett et al., "Cloning and Characterization of HTK, a Novel Transmembrane Tyrosine Kinase of the EPH Subfamily" Journal of Biological Chemistry 269(19):14211-14218 (1994)
	10	Berkemeyer et al., Neurotrophin-5: A Novel Neurotrophic Factor That Activates trk and trkB" Neuron 7:857-866 (November 1991)
	8.	Bohme et al., "PCR mediated detection of a new human receptor-tyrosine-kinase HEK2" Oncogene 8:2857-2862 (1993)
1	9.	Bowie et al., "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions" Science 247:1306-1310 (1990)
CON	11	Buj-Bello et al., "GDNF Is an Age-Specific Survival Factor for Sensory and Automatic Neurons" Neuron 15:821-828 (1995)

EXAMINER	<u>Z</u>	lin 6	DATE CONSIDERED	4/12/64
EXAMINER: INITIAL	CIT	ATION CONSIDERED, WHETHER OR NOT CITATIO	N IS IN CONFORMANCE WITH	MPEP 609; DRAW LINE THROUGH CITATION IF NOT

IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

c	ш	ĒΤ	•	~	_	3

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARY OFFICE	ATTY, DOCKET TECH CENTER 1600 GENENT,046DV1	PARLICATION NO. 10/021,121 RECEIVED
INFORMATION DISCLOSURE STATEMENT BY APPLICANT APR 0 3 2002	APPLICANT Caras et al.	APR 0 4 2002
(USE SEVERAL SHEETS IF NECESSARY)	FILING DATE December 6, 2001	GROUP TECH CENTER 1600/291

EXAMINER INITIAL		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
CON		Burgess et al., "Possinle Dissociation of the Heparin-binding and Mitogenic Activities of Heparing-binding (Acidic Fibroblast) Growth Factor-1 from Its Receptor-binding Activities by Site-directed Mutagenesis of a Single Lysine Residue" The Journal of Cell Biology 111:2129-2138 (1990)
	11.	Chan and Watt, "eek and erk, new members of the eph subclass of receptor protein-tyrosine kinases" Oncogene 6:1057-1061 (1991)
	12.	Cheng et al., "Complementary Gradients in Expression and Binding of ELF-1 and Mek4 in Development of the Topographic Retinotectal Projection Map" Cell 82:371-381 (1995)
	13.	Cheng et al., "Identification and Cloning of ELF-1, a Developmentally Expressed Ligand for the MEK4 and Sek Receptor Turosine Kinases" Cell 79:157-168 (1994)
	14.	Davis et al., "Ligands for EPH-Related Receptor Tyrosine Kinase That Require Membrane Attachment or Clustering for Activity" Science 266:816-819 (November 4, 1994)
		Drescher et al. "In Vitro Guidance of Retinal Ganglion Cell Axons by RAGS, a 25 kDa Tectal Protein Related to Ligands for Eph Receptor Tyrosine Kinases" Cell 82:359-370 (1995)
	16.	Fox et al., ""cDNA cloning and tissue distribution of five human EPH-like receptor protein-tyrosine kinases"  Oncogene 10(5):897-905 (1995)
	17.	Frommel and Holzhutter, "An Estimate on the Effect of Point Mutation and Natural Selection on the Rate of Amino Acid Replacement in Porteins" J. Mol. Evol 21:233-257 (1985)
	18.	Gale et al., "Elk-L3, a Novel Transmenbrane Ligand for the Eph Family of Receptor Tyrosine Kinases, Expressed in Embryonic Floor Plate, Roof Plate and Mindbrain Segments" Oncogene 13:1343-1352 (1996)
	19.	Gilardi-Hebebstreit et al., "An Eph-related receptor protein tyrosine kinase gene segmentally expressed in the developing mouse hindbrain" Oncogene 7:2499-2506 (1992)
	20.	Hefti, F., "Nerve Growth Factor Promotes Survival of Special Chlinergic Neurons After Fimbrial Transactions" J. of Neuroscience 6(8):2155-2162 (August 1996)
	21.	Hendersen et al., "GNDF: A Potent Survival Factor for Motoneurons Present in Peripheral Nerve and Muscle" Science 266:1062-1064 (1994)
	22.	Heumann, R., "Regulation of the Synthesis of Nerve Growth Factor" J. Exp. Biol. 132:133-150 (1987)
	23.	Hillier et al. "EMBL Database Entry HS006163" The WashU-Merck EST Project (Accession No. H10006) (July 2, 1995)
	24.	Hillier et al., "EMBL Database Entry Hsus 7001" <u>LERK-8</u> , A ligand for the EPH-Related Receptor Tyrosine Kinases (Accession No. U57001) (July 31, 1996)
	25.	Hirai et al., "A Novel Putative Tyrosine Kinase Receptor Encoded by the eph Gene" Science 238:1717-1720 (1987)
	26.	Kiyokawa et al., "Overexpression of ERK, an EPH Family Receptor Protein Tyrosine Kinase, in Various Human Tumors" Cancer Res. 54 (14):3645-50 (1994)
	27.	Lai et al., "An Extended Family of Protein-Tyrosine Kinase Genes Differentially Expressed in the Vertebrate Nervous System" Neuron 6: 691-704 (1991)
1	28.	Lazar et al., 'Transforming Growth Factor α" Mutation of Aspartic Acid 47 and Leucine 48 Results in Different Biological Activities" Molecular and Cellular Biology 8(3):1247-1252 (1988)
9	29.	Leibrock et al., "Molecular cloning and expression of brain-derived neurotrophic factor" Nature 341:149-152 (1989)

EXAMINER	()	Wille		)	DATE CONSIDERED	4	(2	704
'EXAMINER: INITIALIN CONFORMANCE A	IF CITATION	ON CONSIDERED, V CONSIDERED, INCLI	VHETHE	R OR NOT CITATION IS BY OF THIS FORM WITH	IN CONFORMANCE WITH	MPER TO AR	609;	DRAW LINE THROUGH CITATION IF NOT ANT.

_				1 3 OF
	FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADE TO FRICE	ATTY, DOCKET NO. GENENT.046DV1	APPLICATION TO CE 10/021	
	INFORMATION DISCLOSURE STATEMENT		APR 0 4 2002	AAAA
	BY APPLICANT APR 0 3 2002	APPLICANT Caras et al.	TECH CENTER 1600	ZAAA
	(USE SEVERAL SHEETS IF NEDESSARY)	FILING DATE December 6, 2001	GROUP Holonown 1647	i .
			ō	, ;

	$\overline{}$	
EXAMINER INITIAL		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
am	30.	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)  Lhotak et al., "Characterization of Elk, a Brain-Specific Receptor Tyrosine Kinase" Mol Cell. Biol. 11:2496-2502 (1991)
	31.	Maisonpierre et al., "Ehk-1 and Ehk-2: two novel members of the Eph receptor-like tyrosine kinase family with distinctive structures and neuronal expression" Oncogene 8:3277-3268 (1993)
	32.	Maisonpierre et al., "Neurotrophin-3: A Neurotrophic Factor Related to NGF and BDNF" Science 247:1446 (1990)
		Ngo et al. "Computational Complexity, Protein Structure Prediction, and the Levinthal Paradox" The Protein Folding Problem and Tertiary Structure Prediction Merz (ed) pp 433,442-225 (1994)
	34.	Pandey et al., "Role of B61, the ligand for te Eck Receptor Tyrosine Kinase, in TNF-α-Induced Angiogenesis" Science 268:567-569 (1995)
	35.	Pasquale et al., "Identification of a developmentally regulated protein-tyrosine kinase by using anti-phosohotyrosibe antibodies to screen a cDNA expression library" Proc. Natl. Acad. Sci. USA 86:5449-5453 (1989)
	36.	Rameh and Armelin, "Tantigens 'role in ployomavirus transformation:c-myc but not c-fos or c-jun expression is a target for middle T." Oncogene 6:1049-1056(1991)
	37.	Rudinger, J. "Characteristics of the amino acid as components of a peptide hormone sequence", <u>Peptide Hormones</u> J.A. Parsons, University Park Press, Baltimore pp.1-17 (June 1976)
		Saijadi et al., "Identification of a New eph-Related Receptor Tyrosine Kinase Gene From Mouse and Chicken That Is Developmentally Regulated and Encodes at Least Two Forms of the Receptor" New Biol. 3(8):760-78 (1991)
	39.	Saijadi et al., "Five novel avian Eph-related tyrosine kinases are differentially expressed" Oncogene 8:1870-13 (1993)
		Tang et al., "c DNA Cloning, Chromosomal Localization, and Expression Pattern of EPLG8, a New Member of the EPLG Gene Family Encoding Ligands of EPH-Related Portein-Tyrosine Kinase Receptors" Genomics 41:17-24 (1997)
	41.	Thoenen et al.," Physiology of Nerve Growth Facotr" Annu Rev. Physiol. 60:284-335 (1980)
		Tuzi et al., "eph, the largest known family of putative growth factor receptors" Br. J. Chancer 69:417-421 (1994)
		Wicks et al., "Molecular cloning of HEK, the gene encoding a receptor ttyrosine kinase expressed by human lymphoid tunor cell lines" Proc. Natl. Acad. Sci. USA 89(5):1611-1615 (1992)
V	44.	Winslow et al.,"Cloning of AL-1, a Ligand for an Eph-Related Tyrosine Kinase Receptor Involved in Axon Bundle Formation" Neuron 14:973-981 (May 1995)
ري	45.	Zhou et al., "Isolation and Characterization of Bsk, a Growth Factor Receptor-Like Tyrosine Kinase Assocciated With the Limbic System" J. Neurosci. Res. 37:129-143 (1994)

EXAMINER DATE CONSIDERED 4/12/04